

SUPPLEMENT TO



The Gazette of India

No. 27]

NEW DELHI, SATURDAY, JULY 7, 1951

OFFICIAL PAPERS

Reported attacks and deaths from cholera, small-pox, plague and typhus in districts in India during the week ending the 9th June, 1951

CHOLERA				SMALLPOX				PLAQUE				CHOLERA				SMALLPOX			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
STATES PART (A) & PART (C)																			
Ajmer																			
TOTAL	—	—	—	2	2	—	—	Champaran	—	—	26	6	—	—	—	—	—	—	—
(Estd. mid-year pop. 680 thousands)								Muzaffarpur	—	—	17	4	—	—					
Total for w/e 2-6-51	—	—	—	3	2	—	—	Darbhanga	—	19	6	183	65	—	—				
Total for w/e 26-5-51	—	—	—	1	1	—	—	Monghyr	—	6	—	42	2	—	—				
7-yearly mean for the week.	—	—	—	2	1	—	—	Bhagalpur	—	—	—	80	7	—	—				
Assam																			
Cachar	—	—	7	4	2	1	—	Saharsa	—	—	10	2	—	—					
Khasi and Jaintia Hills	—	—	—	—	1	—	—	Purnea	—	—	—	135	18	—	—				
Naga Hills	—	—	—	—	—	4	—	Santal Parganas	—	37	13	293	54	—	—				
Goalpara	—	—	—	—	2	—	—	Hazaribagh	—	—	—	15	2	—	—				
Kamrup	—	—	8	4	12	4	—	Ranchi	—	—	7	—	—	—					
Darrang	—	—	3	3	—	—	—	Manbhum	—	3	2	126	34	—	—				
Guwahati	—	—	—	—	—	2	1	Palamau	—	—	—	32	3	—	—				
Tezpur	—	—	—	—	—	—	—	Singhbhum	—	—	53	9	—	—					
7-yearly mean for the week.	—	—	—	—	—	—	—	TOTAL	—	85	22	1,320	281	—	—				
Bihar																			
(Estd. mid-year pop. 38,839 thousands)								Champaran	—	—	—	18	4	—	—				
Total for w/e 2-6-51	38	29	28	11	—	—	—	Muzaffarpur	—	—	—	4	3	—	—				
Total for w/e 26-5-51	77	37	40	26	—	—	—	Darbhanga	—	19	6	183	65	—	—				
7-yearly mean for the week	55	33	8	2	—	—	—	Monghyr	—	6	—	42	2	—	—				
Bhopal																			
No incidence.								Kaira	—	—	2	—	—	—					
(Estd. mid-year pop. 831 thousands)								Broach	—	—	—	4	—	—	—				
Total for w/e 2-6-51	—	—	—	—	—	—	—	Panch Mahals	—	—	—	—	—	—	—				
Total for w/e 26-5-51	—	—	—	—	—	—	—	Surat	—	—	1	1	11	3	—	—			
7-yearly mean for the week	—	—	—	—	—	—	—	Thana	—	—	—	2	2	2	—				
Bihar																			
(Estd. mid-year pop. 831 thousands)								Bombay Suburbans	—	—	—	—	—	—	—	—	—	—	
Total for w/e 2-6-51	—	—	—	—	—	—	—	Ahmednagar	—	—	—	6	—	—	—	—	—	—	
Total for w/e 26-5-51	—	—	—	—	—	—	—	East Khandesh	—	—	—	3	—	—	—	—	—	—	
7-yearly mean for the week	—	—	—	—	—	—	—	West Khandesh	—	—	—	16	1	—	—	—	—	—	
Patna	—	—	20	1	66	22	—	Amreli	—	—	—	—	—	—	—	—	—	—	
Gaya	—	—	—	—	43	3	—	Nasik	—	—	—	2	—	—	—	—	—	—	
Shahabad	—	—	—	—	101	19	—	Poona	—	—	2	2	18	3	—	—	—	—	
Sonepur	—	—	—	—	91	34	—	Satara North	—	—	5	2	8	2	—	—	—	—	
							—	Satara South	—	—	—	—	5	—	—	—	—	—	
							—	Sholapur	—	—	2	—	2	2	—	—	—	—	
							—	Sebarakantha	—	—	—	—	—	—	—	—	—	—	
							—	Belgaum	—	—	—	—	1	—	—	—	—	—	
							—	Bijapur	—	71	16	3	1	—	—	—	—	—	
							—	Dharwar	—	—	—	3	—	—	—	—	—	—	
							—	Kanara	—	—	—	5	1	—	—	—	—	—	
							—	Ratnagiri	—	—	—	3	—	—	—	—	—	—	
							—	Kolaba	—	—	—	28	—	—	—	—	—	—	

Explanation of symbols used :— C.=Cases ; D.=Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 9th June, 1951—contd.

	CHOLERA						SMALLPOX						PLAQUE						CHOLERA						SMALLPOX								
	O.	D.	C.	O.	D.	C.	O.	D.	C.	O.	D.	C.	O.	D.	C.	O.	D.	C.	O.	D.	C.	O.	D.	C.	O.	D.	C.						
Bombay—contd.																																	
Kolhapur	.	.	2	2	Vizakhapatnam	48	14						
Baroda	1	1	Chicacole	.	.	223	120	246	49						
Navsari	East Godavari	.	.	5	5	55	11						
Dangs	3	Krishna	40	5						
Malwan	Guntur	.	.	3	2	65	29						
Mehana	Nellore	.	.	52	36	25	7						
	TOTAL	.	85	23	146	23	Cuddappah	.	.	284	113	14	3						
(Estd. mid-year pop. 33,821 thousands)										Kurnool	.	.	100	30	14	2					
Total for w/e 2-6-51	29	9	184	28	Bellary	.	.	7	3	19	2					
Total for w/e 26-5-51	42	14	230	40	Anantapur	.	.	27	10	3	2						
7-yearly mean for the week	67	26	220	45	4	2	Madras	.	.	21	4	34	5					
Coorg																																	
	TOTAL	.	15	13	6	2	Chinglepur	.	.	74	36	20	16					
(Estd. mid-year pop. 174 thousands)										Chittoor	.	.	42	32	22	3				
Total for w/e 2-6-51	North Arcot	.	.	50	21	50	17				
Total for w/e 26-5-51	7	Salem	.	.	3	1	59	29				
7-yearly mean for the week	2	Coimbatore	.	.	58	27	23	11			
Delhi																																	
No incidence.																																	
(Estd. mid-year pop. 1,458 thousands)										Tanjore	.	.	1	1	13	4			
Total for 2-6-51	Tiruchirapalli	.	.	1	1	55	17			
Total for w/e 26-5-51	7	Mathurai	.	.	108	55	55	7			
7 yearly mean for the week	2	Ramnad	.	.	55	37	28	4			
Himachal Pradesh																																	
Return not received.																																	
Madhya Pradesh																																	
(Estd. mid-year pop. 55,055 thousands)																																	
Nagpur	26	2	Total for w/e 2-6-51	.	.	1,075	519	1,135	302			
Wardha	Total for w/e 26-5-51	.	.	1,307	578	1,415	335		
Chanda	54	11	7 yearly mean for the week	.	.	193	98	474	99	4	1		
Chhindwara	Manipur																							
Betul	34	2	TOTAL																							
Bhandara	29	6	(Estd. mid-year pop. 567 thousands)																							
Jabalpur	.	.	1	..	2	Total for w/e 2-6-51																							
Sagar	1	Total for w/e 26-5-51																							
Mandla	4	1	Total for w/e 2-6-51																							
Hoshangabad	20	2	Total for w/e 26-5-51																							
Nimar	.	.	1	..	35	1	—	Orissa																							
Belaghat	Outtack																							
Raipur	32	5	Balasore																							
Bilaspur	20	3	—	Puri																							
Durg	104	7	Sambalpur																							
Bastar	16</																												

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 9th June, 1951—contd.

	CHOLERA						SMALLPOX						PLAQUE						CHOLERA						SMALLPOX						
	O.	D.	O.	D.	O.	D.	O.	D.	O.	D.	O.	D.	O.	D.	O.	D.	O.	D.	O.	D.	O.	D.	O.	D.	O.	D.	O.	D.			
Orissa—contd.																															
Ganjam Agency	4	2		
Koraput	7		
Keonjhar	.	..	7	4	16	1		
Dhenkanal	.	..	14	3	9	2		
Bolangir Patna	7		
Sundargarh	17	4		
Kalahandi	59	7		
Angul	22	3		
Mayurbhanj	191	68		
TOTAL	.	29	11	472	124		
(Estd. mid-year pop. 13,413 thousands)																															
Total for w/e 2-6-51		8	6	628	178		
Total for w/e 26-5-51		98	30	604	105		
7-yearly mean for the week	.	89	47	121	21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Punjab (I)																															
Hissar	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Rohtak	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Gurgaon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Karnal	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Ambala	8	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Simla	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Kangra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Hoshiarpur	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Jullundur	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Ludhiana	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Ferozepur	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Amritsar	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Gurdaspur	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
TOTAL	10	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
(Estd. mid-year pop. 15,440 thousands)																															
Total for w/e 2-6-51	35	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Total for w/e 26-5-51	12	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7-yearly mean for the week	.	13	7	28	12		
Tripura																															
TOTAL		3	1	7	2		
(Estd. mid-year pop. 584 thousands)																															
Total for w/e 2-6-51		7		
Total for w/e 26-5-51		1	—	8	3		
TOTAL		
Uttar Pradesh																															
Dehra Dun	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Saharanpur		
Muzaffarnagar		
Meerut		
Bulandshahr		
(Estd. mid-year pop. 62,134 thousands)																															
Total for w/e 2-6-51		5	2	133	45	1		
Total for w/e 26-5-51		10	3	183	60	23	2		
7-yearly mean for the week	.	1127	594	252	66	3		

Explanation of Symbols used : C.—Cases ; D.—Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 9th June, 1951—contd.

Explanation of symbols used :—C.—Cases ; D.—Deaths.

Reported attacks and deaths from cholera, small-pox, plague and typhus in districts in India during the week ending the 9th June, 1951.—concl'd.

TYPHUS

The following cases of Typhus were reported during the week:—			Places	Cases
	Cases	Deaths		
Bombay City	3	..	Madras 1—15 April, 1951	16 (Pareto)
Bombay City suburbs		..	Uttar Pradesh 16—30 April, 1951	3 (")
			West Bengal 1—15 May, 1951	1 (")
			" 16—30 April, 1951	1 (")
POLIOMYELITIS			Madhya Pradesh 16—30 April, 1951	3 (")
(Information based on patients treated in hospitals in important towns)			Ajmer State 16—30 April, 1951	1
			" 1—15 May, 1951	1

(Information based on patients treated in hospitals in important towns)

Place

Period

Gases

ARREAR INFORMATION

Delhi State	1-15 May, 1951	11 (Paretic)	---	C.	D.	O.	D.	O.	D.
"	16-31 May, 1951	3 (,,)							
"	1-15 June, 1951	7 (,,)							
Punjab (I)	1-15 May, 1951	13 (,,)	(w/e 2-6-51)	Chamba
		1 (Non-paretic)		Mahasu
"	16-31 May, 1951	22 (Paretic)		Mandi	.	.	.	1	.
Madras	16-30 April, 1951	14 (,,)		Sirmur
		1 (Non-paretic)	TOTAL	1

Explanation of Symbols used :—C—Cases , D—Deaths

NEW DELHI 2 (INDIA); }
The 2nd July, 1951 }

S. P. JAIN,
for Registrar General, India.

NATIONAL SAVINGS CERTIFICATES

Are now available in three different series, maturing after 5, 7 and 12 years. The certificates yield 3%, 3½% and 4-1/6% simple interest respectively, at maturity. The 12 years certificates increase your money by 50% but if necessary can be encashed after 18 months (Rs. 5/- certificates after 12 months). The 5 and 7 years certificates can be encashed at any time.

National Savings Certificates are obtainable in denominations of 5, 10, 50, 100, 500, 1,000 and 5,000 and you can invest upto Rs 25,000 in them (inclusive of any Post Office certificates held).

6. Full particulars obtainable from all post offices, District Organisers of the Small-Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers or the National Savings Commissioner, Simla.

TODAY'S SAFEST AND MOST PROFITABLE INVESTMENT.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 9th June 1951.—

Deaths from—

Town	Mid-1951 Popn.-Est. ('000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
STATES—(Parts A and O)													
Ajmer													
Ajmer	176	128	37.8	...	2	...	17	...	7	...	44	13.0	6
Beawar	45	25	28.9	7	1	3	...	16	18.5	8
TOTAL	221	153	36.0	..	2	...	24	1	10	...	60	14.1	14
Assam													
Bhopal													
<i>Returns not received.</i>													
Bihar													
Arrah	57	9	8.1	...	1	...	2	4	3.6	...
Bettiah	33	3	4.8	...	3	...	1	1	9	14.3	3
Bhagalpur	103	10	...	3	20	10.1	...
Bihar	62	10	8.3	3	5	4.2	...
Chapra	63	11	9.1	5	7	5.8	...
Darbhanga	78	21	14.0	...	1	...	6	1	1	...	11	7.3	...
Dinapur-Nizamat	37	1	1.4	6	1	...	3	13	18.5	...
Gaya	123	23	9.7	...	4	...	26	6	12	...	271	30.0	...
Jamalpur	49	4	4.3	...	1	2	2.1	...
Jamshedpur	216	78	18.8	2	1	6	...	12	2.9	6
Monghyr	74	14	9.9	...	5	...	1	6	4.2	...
Muzaffarpur	66	8	6.3	...	7	...	4	18	14.3	1
Patna	192	14	3.8	1	2	...	1	6	1.6	...
Purulia	35	3	4.6	1	2	3.0	...
Ranchi	58	16	14.4	...	2	...	1	9	8.1	...
TOTAL	1,246	215	9.0	7	37	..	59	9	19	...	195	8.1	9
Bombay													
Ahmedabad	882	522	30.8	..	3	..	92	6	59	..	247	14.6	16
Ahmednagar	67	54	41.9	8	1	2	..	18	10.1	4
Amalner	46	21	23.7	9	..	1	..	15	16.9	5
Bandra†													
Baroda	192	129	34.9	..	1	..	34	2	2	..	52	14.1	10
Barsi	42	16	19.8	9	1	2	..	25	31.0	6
Belgaum	79	56	36.9	5	1	3	..	28	18.4	5
Bhussawal	45	33	38.1	3	..	5	..	12	13.9	1
Bijapur	58	24	21.5	2	..	2	..	16	13.4	..
Bombay	1,820	1,162	33.0	..	4	..	18	10	188	..	628	17.9	191
Broach	78	82	21.3	4	..	3	..	11	7.3	1
Cambay	38	24	32.8	9	..	2	..	15	20.5	2
Dharwar	58	35	33.1	..	2	..	2	3	4	..	27	25.5	..
Dhulia	67	38	29.4	4	1	4	..	16	12.4	2
Gadag-Betkeri	67	23	17.9	8	..	4	..	31	24.0	10
Godhra	49	21	22.8	6	..	1	..	9	9.6	2
Hubli	108	29	14.0	1	3	..	13	6.3	3
Jalgaon	63	27	22.3	8	1	2	..	19	15.7	7
Kalyan	87	27	37.9	3	..	4	..	9	12.6	..
Kolhapur	119	123	54.7	4	2	2	..	28	12.4	3
Kurla†													
Malegaon	41	29	29.2	27	2	2	..	33	41.9	7
Mira†	39	16	21.3	2	..	1	..	12	16.0	..
Nadiad†													
Naunk	59	48	42.3	..	2	..	2	3	3	..	25	22.0	2
Navsari	47	28	30.8	8	..	1	..	11	12.2	3
Pandharpur	87	17	23.0	3	2	3	..	13	18.3	6
Parle Andheri†													
Patan	43	30	36.3	5	2	15	18.1	..
Poona	319	238	38.8	7	2	26	..	124	20.2	48
Sangli	40	41	53.3	6	1	10	13.0	4
Satara	41	28	29.2	2	..	2	..	14	17.8	3
Sholapur	274	190	36.1	16	3	28	2	80	15.2	3
Surat*	246	195	41.2	23	2	23	1	90	19.1	28
TOTAL	5,107	3,245	33.0	..	12	..	324	46	379	11	1,640	16.7	372
Delhi State													
Delhi City	702	450	33.3	60	8	25	..	133	9.9	41
New Delhi	124	138	57.9	5	1	6	..	50	20.9	11
TOTAL	826	588	37.0	65	9	31	..	183	11.5	52

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B. = Births ; B. R. = Birth rate ; C. = Cholera ; S. = Smallpox ; F. = Plague ; F. = Fevers ; D. D. = Dysentery and Diarrhoea ; R. D. = Respiratory Diseases ; M. D. = Maternal Deaths ; D. R. = Death rate ; I. D. = Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 9th June, 1951—contd.

Deaths from—

Town	Mid-1951 Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D. D.	R. D.	M. D.	Total	O.R.*	I.D.
Madhya Pradesh													
Akola	78	51	34.0	11	2	2	2	20	19.3	2
Amravati	78	79	52.9	..	2	..	10	..	2	..	29	19.4	10
Bilaspur	44	18	21.4	6	1	1	..	21	25.0	9
Burhanpur	64	31	30.0	9	1	1	..	17	13.8	..
Chanda	44	25	29.8	1	13	15.5	4
Damoh †													
Elliohpur	34	15	22.6	2	9	13.6	3
Hinganghat †	177	90	26.4	..	5	..	18	2	10	..	49	14.4	..
Jabalpur													
Khandwa	42	23	28.1	3	11	13.8	..
Nagpur	906	114	19.4	..	1	..	21	3	8	..	114	19.4	3
Nagpur Civil Station	85	25	15.2	..	1	..	6	..	3	..	12	7.3	..
Raipur †													
Sagar †													
Wardha													
Yeotmal	32	16	25.7	8	1	1	..	14	22.5	2
TOTAL	984	493	26.1	..	9	..	93	12	28	2	318	16.8	33
Madras													
Adoni †													
Ambur	39	33	44.0	3	2	2	..	16	21.3	1
Anakspalle	35	28	41.6	..	1	..	5	3	1	..	23	33.9	5
Aruppukottai	36	37	53.4	3	3	5	2	..	24	34.7	2
Bellary	65	84	51.2	1	2	8	1	25	20.0	7
Bhimaavaram	33	8	12.6	2	4	6.3	..
Cannanore	35	31	43.1	2	..	1	..	14	20.8	2
Chirala	36	16	23.1	1	8	11.6	1
Chittoor	34	22	33.7	1	1	1	..	16	24.6	4
Coimbatore †													
Cuddalore	62	73	61.2	2	4	7	1	27	22.6	1
Cudappah	34	18	27.5	1	1	..	7	10.7	..
Dindigul	69	58	42.1	3	1	5	..	29	22.2	10
Eluru †													
Erode	45	69	107.3	..	1	..	1	4	7	1	30	46.6	6
Guddiyattam	41	31	39.3	6	3	27	39.0	6
Guntur	109	85	42.9	1	..	3	..	19	9.6	4
Kakihada	85	25	15.3	..	1	..	1	2	..	1	20	12.2	3
Kancheepuram	84	68	42.1	11	1	..	6	..	13	1	67	41.5	8
Kozhikode	184	142	47.9	4	6	12	2	126	42.5	13
Karaikkudi	86	22	31.8	3	3	2	1	15	21.7	3
Karur	86	16	23.1	1	..	2	..	10	14.4	..
Kumbakonam	72	61	44.1	..	1	4	..	38	27.4	9
Kurnool	66	67	62.2	4	..	4	20	18.6	4
Madras	1,027	1,295	65.5	6	5	..	83	132	294	4	1,003	50.9	229
Mangalore	96	72	38.9	2	..	2	..	22	11.9	3
Mamillapatnam	61	27	23.0	4	..	2	..	15	12.8	1
Mathurai	298	219	33.1	4	3	..	13	19	63	1	171	25.8	30
Mayuram	33	24	37.8	1	7	11.0	..
Melapalayam	32	19	30.9	5	..	8	13.8	1
Nagapattinam	57	26	23.7	3	1	..	23	21.0	1
Nellore	67	42	32.6	3	4	5	..	29	22.5	3
Netravamund	35	36	53.5	5	4	..	19	28.3	3
Polyaamkottai	84	25	38.2	5	..	11	16.8	..
Palghat	61	48	40.9	1	2	5	3	28	23.0	5
Prodilatur	34	26	39.8	1	3	..	15	22.9	3
Pudukkottai	40	36	46.8	5	1	2	..	23	29.9	2
Rajahuandry	86	51	30.8	4	4	3	..	32	19.4	6
Rajapaleyam	54	29	27.9	11	6	2	..	27	26.0	2
Salem	158	112	36.9	..	3	..	1	3	15	2	63	20.4	15
Srivilliputtur	87	35	49.2	2	14	19.7	5
Tanjore	71	65	47.6	1	1	4	3	38	27.8	5
Tellicherry	42	44	54.5	5	2	2	19	23.5	5

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B. R.—Birth rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D. D.—Dysentery and Diarrhoea ; R. D.—Respiratory Diseases ; M. D.—Maternal Deaths ; D. R.—Death Rate ; I. D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 9th June, 1951—*contd.*

Deaths from :—

Town	Mid.-1951 Popn.-Est. (000)	Deaths from :—											
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.†	M.D.
Madras—<i>contd.</i>													
Tenali	47	30	33.2	2	2	...	2	...	3	...	18	19.9	5
Tiruchirappalli	177	73	28.5	2	2	5	20	...	110	22.3	6
Tirunelveli	64	34	27.6	1	6	1	18	14.6	5
Tiruppur	49	36	37.9	4	4	3	...	26	27.6	4
Tiruvannamalai	40	20	26.0	1	3	4	...	16	20.8	5
Tulicorin	91	47	26.9	3	5	19	...	52	29.7	16
Vaniyambadi	40	31	40.3	1	2	2	..	12	15.6	5
Vellore	86	110	66.5	3	6	9	..	42	25.4	8
Vijayavada	113	68	31.3	2	3	3	..	34	15.7	10
Virudunagar	36	32	46.2	3	5	5	1	..	28	40.4	6
Visakhapatnam	84	53	32.8	..	1	..	5	4	1	..	25	10.3	10
Vizianagram	59	45	39.7	1	4	4	..	24	21.2	9
TOTAL	4,399	3,781	44.7	30	21	...	201	267	557	24	2,538	30.0	497
Orissa													
Berhampur	50	35	36.5	..	1	..	7	4	2	..	20	20.8	5
Cuttack	84	75	46.5	4	3	2	..	23	14.3	7
Puri	45	28	32.4	..	1	..	8	2	18	20.8	8
TOTAL	179	138	40.1	..	2	..	19	9	4	..	61	17.7	20
Punjab (I)													
Ambala	53	24	23.6	6	2	1	..	10	9.8	4
Amritsar	520	132	13.2	4	8	29	1	87	8.7	13
Batala	56	21	19.6	5	..	6	5.6	3
Bhiwani	52	42	42.0	8	..	1	1	13	13.0	3
Fazilka	38	6	8.2	3	..	1	..	6	8.2	2
Ferozepore	48	18	19.5	1	..	2	..	7	7.6	2
Hijasr	32	16	26.1	7	..	3	..	10	16.3	3
Hoshiarpur†	149	43	15.1	15	2	6	..	31	10.9	11
Jullundur	49	23	24.5	8	1	1	..	12	12.8	2
Karnal	156	81	27.1	14	2	1	..	29	9.7	9
Ludhiana	38	11	15.1	7	..	2	..	9	12.3	1
Moga	43	17	20.6	10	..	1	..	14	17.0	4
Panipat	35	11	16.4	5	1	8	11.9	1
Rewari	61	22	18.8	10	11	9.4	6
TOTAL	1,330	467	18.3	98	16	53	2	253	9.9	64
Uttar Pradesh													
Agra	360	252	36.5	10	82	..	139	20.1	42
Allahabad	332	200	31.4	..	1	..	4	4	1	1	75	11.8	17
Amroha	67	38	29.4	5	2	4	..	21	16.3	5
Bahraich	47	21	23.4	7	..	2	..	16	17.8	5
Balrampur	52	11	11.0	12	18	18.0	4
Banaras	313	291	48.5	59	8	21	2	179	29.8	44
Bareilly	240	208	45.2	19	3	11	..	60	13.0	15
Budaun	59	35	31.0	15	22	19.5	5
Dehra Dun	195	41	20.3	2	2	4	..	17	8.4	3
Etawah	59	45	39.4	17	1	1	..	29	25.4	8
Faizabad-Ajodhya	58	46	41.1	7	2	10	1	32	28.6	4
Farrukhabad-Fatehgarh	65	55	44.4	12	5	5	..	37	29.9	12
Ferozabad	57	40	36.7	..	1	..	12	1	1	..	17	15.6	6
Ghazipur	35	18	26.6	9	..	2	..	13	19.2	..
Gorakhpur	123	55	23.3	..	3	..	17	4	3	..	43	18.2	10
Hapur	48	29	31.8	4	..	1	..	9	9.9	3
Hardwar Union	72	29	21.0	10	3	6	..	34	24.6	10
Hathras	57	61	55.6	19	5	4	..	35	31.9	20
Jaunpur	52	22	21.9	..	3	..	4	..	3	..	15	14.9	1
Jhansi	91	75	42.7	42	1	46	26.2	15
Kanpur	701	352	26.2	..	1	..	108	28	29	4	292	21.7	89

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.=Birth ; B.R.=Birth rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fevers ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 9th June, 1951—*contd.*

Deaths from—

Town	Mid-1951 Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Uttar Pradesh—<i>contd.</i>													
Kharja	48	17	21.2	4	...	12	15.0	4
Koti-Aligarh	146	55	19.7	8	6	2	...	30	10.7	..
Lucknow	498	314	32.9	1	42	9	35	...	183	19.2	58
Mathura	102	63	32.2	12	1	11	...	26	18.3	4
Meerut	163	125	40.1	7	3	9	...	81	9.9	7
Mirzapur-Vindhyaibehal	82	87	55.6	...	2	...	21	1	7	...	48	80.7	13
Moradabad	189	124	34.2	18	4	17	...	60	16.5	23
Muzaffarnagar	68	30	23.8	1	5	1	...	18	14.1	9
Pilibhit	54	34	32.9	5	2	3	...	20	19.4	5
Rampur	105	13	6.5	7	...	2	...	15	7.5	1
Saharanpur	171	82	28.0	33	...	3	...	42	12.8	13
Sambhal	64	78	63.4	13	1	5	...	25	20.3	9
Shahjahanpur†	38	23	31.7	...	1	...	8	...	1	...	11	15.2	5
TOTAL	4,713	2,969	32.8	1	12	..	559	111	329	8	1670	18.4	458
West Bengal													
Asansol†	71	9	6.6	1	2	8	5.9	..
Bally	62	13	10.9	...	2	...	1	6	5.0	..
Bankura	72	28	20.2	..	1	..	2	1	3	..	16	11.5	6
Berahnger	56	32	29.7	..	8	..	6	3	1	..	25	23.2	6
Berhampur	150	26	9.0	..	1	..	11	3	..	1	33	11.1	5
Bhatpara	41	7	8.9	..	3	..	2	1	1	..	6	7.7	..
Budge Budge	87	7	4.2	..	1	..	1	2	7	4.2	..
Burdwan	3,086	804	13.5	63	25	..	75	66	128	1	643	10.8	168
Champdani	39	20	27.0	..	2	..	2	..	1	..	5	6.8	..
Garden Reach	115	15	6.8	3	2	..	1	2	1	..	13	5.9	2
Hoogly Chinsura	66	69	54.4	1	2	1	..	15	11.8	2
Howrah	539	87	8.4	8	7	..	17	14	38	..	150	14.5	36
Kamarhati†	40	1	1.3
Krishnagar	—	—	—	—	—	—	—	—	—	—	—	—	—
Midnapur†	43	15	18.3	2	3	..	5	..	1	..	13	15.9	1
Nabadwip	54	9	8.7	3	2.9	2
Naihati	—	—	—	—	—	—	—	—	—	—	—	—	—
Serampur	72	22	15.9	1	6	3	4	..	21	15.2	3
South Suburban†	66	23	18.5	..	1	..	15	1	18	14.3	1
Titagarh	—	—	—	—	—	—	—	—	—	—	—	—	—
Tollyganj	94	5	2.8	1	1	0.6	..
TOTAL	4,753	1,192	13.0	77	54	..	144	101	181	2	983	10.7	229

STATES (Part B)

Jammu and Kashmir

Return not received.

Madhya Bharat

Greater Gwalior	240	90	19.9	13	21	4.6	..
Indore City	278	144	26.9	34	..	12	..	109	29.4	45
Ratlam	52	29	29.0	7	1	5	..	17	17.0	..
Ujjain City	109	49	24.0	5	2	9	..	46	23.1	19
TOTAL	679	312	23.9	58	3	26	..	193	14.8	64

Mysore State

Bangalore City	810	398	40.5	9	45	48	..	95	9.7	..
Kolar Gold Fields†	195	116	35.6	..	1	..	11	6	3	..	48	20.6	..
TOTAL	705	514	37.9	..	1	..	20	51	51	..	141	10.4	..

In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used— B.—Births; B.R.—Birth rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal deaths; D.R.—Death rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 9th June, 1951—contd.

Town	Mid-1951 Popn. Est. (000)	Deaths from—											
		B.	B. R.*	C.	S.	P.	F.	D. D.	R. D.	M. D.	Total	D. R.*	I. D.
PEPSU													
Malerkotla	36	20	28.9	2	2	2.9	..
Patiala	85	28	15.9	17	..	1	2	26	17.4	13
TOTAL	121	48	20.6	19	..	1	2	28	12.0	13
Rajasthan													
Alwar†	170	56	17.0	2	1	1	14	4.2	3
Bikaner	204	30	7.6	39	5	2	1	88	22.5	36
Jaipur	160	66	21.4	7	1	2	..	24	7.8	..
Jodhpur
Udaipur †
TOTAL	534	152	14.8	46	8	5	1	126	12.3	39
Saurashtra													
Bhavnagar	131	48	19.1	11	..	1	..	23	9.1	7
Dhoraji	46	23	26.0	6	1	11	12.4	..
Jamnagar	89	33	19.9	19	4	3	..	32	18.7	2
Jetpur	84	15	22.9	2	9	4.6	..
Junagadh	77	32	21.6	..	1	..	9	2	1	2	23	15.5	5
Morvi	56	17	18.8	3	1	4	8.7	3
Porbandar	64	24	19.5	10	..	1	..	19	15.4	1
Rajkot	74	72	50.6	..	3	..	41	2	1	..	47	33.0	..
TOTAL	571	204	24.6	..	4	..	101	10	7	2	162	14.8	18
Travancore-Cochin													
<i>Return not received.</i>													
ARREAR RETURNS													
Travancore-Cochin													
<i>For w/e the 12th May, 1951</i>													
Alleppey	69	57	43.0	2	1	2	..	8	6.6	2
Ernakulam	57	18	16.4	1	6	5.5	1
Kottayam	42	20	24.5	4	11	13.6	1
Mattancheri	68	24	18.4	1	..	3	1	14	10.7	4
Nagercoil	61	34	29.0	5	..	1	1	11	9.4	1
Quilon	66	109	85.9	11	8.7	..
Trichur	70	27	20.1	..	1	2	..	13	9.6	5
Trivandrum	162	166	53.3	3	1	2	..	17	5.5	2
TOTAL	395	455	39.9	..	1	..	16	2	15	3	91	8.0	16
Travancore-Cochin													
<i>For w/e the 19th May, 1951</i>													
Alleppey	69	53	39.9	1	8	6.9	..
Ernakulam	57	7	5.5	1	8	7.3	3
Kottayam	42	16	19.8	1	1	1	1	10	12.4	2
Mattancheri	68	34	28.0	2	2	1	..	14	10.7	..
Nagercoil	61	23	19.6	..	1	..	4	9	7.7	1
Quilon	66	44	34.7	3	4	..	17	13.4	..
Trichur	70	27	20.1	2	3	3	..	13	9.6	1
Trivandrum	162	107	34.3	6	2	10	..	42	13.5	8
TOTAL	395	311	27.1	..	1	..	17	11	19	1	121	10.6	20
Travancore-Cochin													
<i>For w/e the 26th May, 1951</i>													
Alleppey	69	70	52.8	2	1	5	..	18	13.4	..
Ernakulam	57	19	17.3	1	4	3.6	..
Kottayam	42	14	17.3	3	1	2	..	8	9.9	..
Mattancheri	68	63	48.2	6	1	6	..	17	13.0	1
Nagercoil	61	46	39.2	..	1	..	3	1	4	..	13	11.1	3
Quilon	66	78	61.8	2	3	..	13	10.2	4
Trichur	70	45	33.4	4	3	15	..	9	5.9	3
Trivandrum	162	121	38.8	69	22.1	7
TOTAL	395	456	39.9	..	1	..	19	9	36	..	150	13.1	20

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births ; B.R.—Birth rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery & Diarrhoea ; R.D.—Respiratory diseases ; M.D.—Maternal deaths ; D.R.—Death rate ; I.D.—Infantile deaths (included in total deaths).

REMARKS

The figures of births and deaths shown in this statement for week ending the 9th June, 1951, relate to 200 towns with an estimated population of 26,368 thousands. The total number of towns is 234 and their population is 29,017 thousands. Thus 85% of the total number of towns representing 91% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 14,431 and 8,550 representing birth and death rates of 28.5 and 16.9 per thousand of population respectively.

(A) States (Parts A & C).—The data here relate to 181 towns with an estimated population of 23,758 thousands. Information about Assam could not be included. The total numbers of towns is 202 and their population is 25,187 thousands. Thus 90% of the total number of towns representing 94% of the total population is covered. The numbers of births and deaths

recorded in these towns were 13,241 and 7,900 representing birth and death rates of 29.0 and 17.3 per thousand of population respectively. The table at the end gives the position by States.

Madras was the only town which had a high death rate of 50.9 per thousand of population and this high death rate was largely due to deaths from respiratory diseases and dysentery and diarrhoea.

(B) States (Part B).—The data here relate to 19 towns with an estimated population of 2,610 thousands. The total number of towns is 32 and their population is 3,830 thousands. Thus 59% of the total number of towns representing 68% of total population is covered. The numbers of births and deaths recorded in these towns were 1,190 and 650 representing birth and death rates of 23.7 and 13.0 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 9-6-51		Corresponding w/e last year		Corresponding mean during the previous 5 years period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Ajmer	36.0	14.1	24.3	18.6	24.4	22.0
Bihar	9.0	8.1	8.1	9.1	10.5	12.4
Bombay	33.0	16.7	26.8	17.2	27.1	20.4
Delhi	37.0	11.5	32.6	15.5	28.5	18.2
Madhya Pradesh	26.1	16.8	25.0	23.5	23.7	19.4
Madras	44.7	30.0	40.7	26.9	40.8	23.8
Orissa	40.1	17.7	43.4	27.2	39.5	23.1
Punjab (I)	18.3	9.9	20.1	14.2	20.9	15.8
Uttar Pradesh	32.8	18.4	22.6	28.3	26.1	27.2
West Bengal	13.0	10.7	16.8	16.7	9.0	12.0
India (only States Parts A & C)	29.0	17.3	27.7	21.1	25.5	20.0

NEW DELHI 2 (INDIA); }
The 11th July, 1951. }

S P JAIN,
for Registrar General, India.

